

Your Airfield Solutions Partner



RAIKO *Icebreaker*

Breaks up ice and compacted snow
without damage to pavement.



RAIKO T

Raiko Icebreakers are pushed in front of a working machine equipped with a tilt cylinder. These devices increase the utility of working machines to improve cost-efficiency.



RAIKO P

Equipped with a dedicated blade, the Raiko P for wheel loaders is designed to be pushed in front. The entire device can be operated by using the wheel loader's controls. Wheel loaders are well suited for removing hard-packed ice layers from roads, yards and light traffic routes.

Leading Efficiency

Destroy several inches of solid ice.
Increasing Productivity & Reducing Costs.



Flexible and freely rotating spiked roller sections.

Virtually soundless due to its unique structure.

Technical Specifications	Pushable Model					Wheel Loader Model	
	I7	I8	T12	T14	T15	P14	P15
Total Width	1520 mm 59.8"	1700 mm 66.9"	2420 mm 95.3"	2780 mm 109.4"	2960 mm 116.5"	2780 mm 109.4"	2960 mm 116.5"
Total Length	905 mm 35.6"	905 mm 35.6"	905 mm 35.6"	905 mm 35.6"	905 mm 35.6"	1994 mm 78.5"	1994 mm 78.5"
Total Height	1169 mm 46.0"	1169 mm 46.0"	1169 mm 46.0"	1169 mm 46.0"	1169 mm 46.0"	1403 mm 55.2"	1403 mm 55.2"
Weight	990 kg 2183 lb	1040 kg 2293 lb	1370 kg 3020 lb	1580 kg 3483 lb	1750 kg 3858 lb	2150 kg 4740 lb	2330 kg 5137 lb
Working Width	1210 mm 47.6"	1390 mm 54.7"	2110 mm 83.1"	2470 mm 97.2"	2648 mm 104.3"	2470 mm 97.2"	2650 mm 104.3"
Oil Demand	20 l/min 5.3 gpm	20 l/min 5.3 gpm	20 l/min 5.3 gpm	20 l/min 5.3 gpm	20 l/min 5.3 gpm	20 l/min 5.3 gpm	20 l/min 5.3 gpm
Working Pressure	180 bar 2611 psi	180 bar 2611 psi	180 bar 2611 psi	180 bar 2611 psi	180 bar 2611 psi	180 bar 2611 psi	180 bar 2611 psi
Recommended Weight of Working Machine		>2500 kg >5512 lb	>5000 kg >11023 lb	>5000 kg >11023 lb	>5000 kg >11023 lb	>5000 kg >11023 lb	>5000 kg >11023 lb

Low operating cost.

Ask about our financing options to purchase, rent or lease.

